L Number	Hits	Search Text	DB	Time stamp
1	3587		USPAT;	2004/05/18 11:55
-		· · · · · · · · · · · · · · · · · · ·	US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	0004/05/10 11 10
2	28101	select\$ with account\$	USPAT;	2004/05/18 11:40
		·	US-PGPUB;	
			EPO; JPO;	
		· ·	DERWENT; IBM TDB	
	730	(account\$ with restrict\$) and (select\$	USPAT;	2004/05/18 11:55
3	128	with accounts)	US-PGPUB;	2001,00,10 11.00
		HICH docountry/	EPO; JPO;	
			DERWENT;	
			IBM TDB	
4	34	((account\$ with restrict\$) and (select\$	USPAT;	2004/05/18 11:56
		with account\$)) and (batch with	US-PGPUB;	
		processing)	EPO; JPO;	
		·	DERWENT;	
			IBM_TDB	0004/05/10 11
6	73	((account\$ with restrict\$) and (select\$	USPAT;	2004/05/18 11:41
		with account\$)) and (batch with process\$3)	US-PGPUB;	1
			EPO; JPO; DERWENT;	
			IBM TDB	
7	. 50	(((account\$ with restrict\$) and (select\$	USPAT;	2004/05/18 11:57
['	39	with account()) and (batch with	US-PGPUB;	
		process\$3)) and (record\$3 with account\$)	EPO; JPO;	
]			DERWENT;	
j .			IBM_TDB	
8 .	6		USPĀT;	2004/05/18 11:57
		restrict\$) and (select\$ with account\$))	US-PGPUB;	
		and (batch with process\$3)) and (record\$3	EPO; JPO;	
] .		with account\$))	DERWENT;	
	65.01		IBM_TDB USPAT;	2004/05/18 11:56
9	6521	account\$ with securit\$	USPAT; US-PGPUB;	2004/05/16 11:36
			EPO; JPO;	
			DERWENT;	
			IBM TDB	
10	1668	(account\$ with securit\$) and (select\$ with	USPAT;	2004/05/18 11:55
		account\$)	US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	2004/05/10 11 55
11	11614	account\$ with (lock or securit\$ author\$6)	USPAT;	2004/05/18 11:56
			US-PGPUB; EPO; JPO;	
			DERWENT;	
			IBM TDB]
12	248	(account\$ with (lock or securit\$	USPAT;	2004/05/18 11:56
	240	author\$6)) and (select\$ with account\$) and	US-PGPUB;	
		(batch with processing)	EPO; JPO;	
		<u> </u>	DERWENT;	
			IBM_TDB	
13	177	((account\$ with (lock or securit\$	USPAT;	2004/05/18 11:57
1 1		author\$6)) and (select\$ with account\$) and	US-PGPUB;	
		(batch with processing)) and (record\$3	EPO; JPO;	
		with account\$)	DERWENT;]
		0-4-20000220 and 1/1-2-2-1-10 with 13-13	IBM_TDB	2004/05/10 15:00
14	37		USPAT; US-PGPUB;	2004/05/18 15:02
		securit\$ author\$6)) and (select\$ with account\$) and (batch with processing)) and	EPO; JPO;	
1		(record\$3 with account\$))	DERWENT;	
1		12001470 #1611 400041164//	IBM TDB]
15	5	(@pd<20000330 and (((account\$ with (lock	USPAT;	2004/05/18 12:00
		or securit\$ author\$6)) and (select\$ with	US-PGPUB;	
]		account\$) and (batch with processing)) and	EPO; JPO;	
		(record\$3 with account\$))) and (control	DERWENT;	
		with cycle)	IBM TDB	

		(A 1.00000000 1 ///	UCDAM -	2004/05/10 1	4.30
16	12	or securit\$ author\$6)) and (select\$ with account\$) and (batch with processing)) and	USPAT; US-PGPUB; EPO; JPO;	2004/05/18 1	14:30
		<pre>(record\$3 with account\$))) and (month\$ and week\$ and year\$)</pre>	DERWENT; IBM_TDB		
17	2	5956700.pn.	USPAT; US-PGPUB;	2004/05/18 1	14:24
			EPO; JPO; DERWENT;		
	_		IBM_TDB		
18	0	5956700.pn. and ((delet\$ or remov\$6) with account\$)	USPAT; US-PGPUB;	2004/05/18 1	14:25
			EPO; JPO; DERWENT;		:
19	1	5956700.pn. and(delet\$ or remov\$6)	IBM_TDB USPAT;	2004/05/18 1	4.25
	_	3330700.pm. una (defect of femove)	US-PGPUB;		
			EPO; JPO; DERWENT;		
20	12	(@pd<20000330 and (((account\$ with (lock	IBM_TDB USPAT;	2004/05/18 1	L4:41
		or securit\$ author\$6)) and (select\$ with account\$) and (batch with processing)) and	US-PGPUB; EPO; JPO;		
		(record\$3 with account\$))) and (month\$ and week\$ and year\$) and (delet\$ or remov\$ or	DERWENT; IBM TDB		
		clear\$ or cancel)	_	0004/05/10	
22	11	or securit\$ author\$6)) and (select\$ with	USPAT; US-PGPUB;	2004/05/18 1	14:52
		<pre>account\$) and (batch with processing)) and (record\$3 with account\$))) and (prevent\$</pre>	EPO; JPO; DERWENT;		
23	2	with access\$\$) 6154879.pn.	IBM_TDB USPAT;	2004/05/18 1	4:52
23		0104075.pm	US-PGPUB; EPO; JPO;		
			DERWENT;		
21	7	(@pd<20000330 and (((account\$ with (lock	IBM_TDB USPAT;	2004/05/18 1	15:01
		or securit\$ author\$6)) and (select\$ with account\$) and (batch with processing)) and	US-PGPUB; EPO; JPO;		
		<pre>(record\$3 with account\$))) and (account\$ with password\$)</pre>	DERWENT; IBM TDB		
24	86	statement\$ and delet\$ and (batch with process) and (record\$ with account\$) and	USPAT; US-PGPUB;	2004/05/18 1	L5:02
		(account\$ with password\$)	EPO; JPO;		
			DERWENT; IBM_TDB		
25	15	and (batch with process) and (record\$ with	USPAT; US-PGPUB;	2004/05/18 1	15:08
		account\$) and (account\$ with password\$))	EPO; JPO; DERWENT;		
26	2	4958291.pn.	IBM_TDB USPAT;	2004/05/18 1	5:07
		4,550251.pm.	US-PGPUB;	2001,00,10	
		·	EPO; JPO; DERWENT;		
27	8	(prevent\$ with access with delet\$) and	IBM_TDB USPAT;	2004/05/18 1	15:11
		(select\$ with accounts)	US-PGPUB; EPO; JPO;		
			DERWENT; IBM TDB		
28	1	<pre>@pd<20000330 and ((prevent\$ with access with delet\$) and (select\$ with accounts))</pre>	USPAT; US-PGPUB;	2004/05/18 1	5:11
		with deters) and (selects with accounts))	EPO; JPO;		
			DERWENT; IBM_TDB		
29	439	<pre>(access with delet\$) and (select\$ with accounts)</pre>	USPAT; US-PGPUB;	2004/05/18 1	15:11
			EPO; JPO; DERWENT;		
L			IBM_TDB		

	·		T	10001/05/10 15 11
30	153	((access with delet\$) and (select\$ with accounts)) and (prevent\$ with access)	USPAT; US-PGPUB;	2004/05/18 15:11
		accounts), and (prevents with access)	EPO; JPO;	
			DERWENT;	
			IBM_TDB	
31	9		USPAT;	2004/05/18 16:05
		and (select\$ with accounts)) and (prevent\$	US-PGPUB;	
		with access)) and password	EPO; JPO; DERWENT;	
			IBM TDB	
32	62	(bill\$3 with statement) and (select with	USPĀT;	2004/05/18 15:15
		accounts) and password and (delet\$ or	US-PGPUB;	
		remov\$)	EPO; JPO;	
			DERWENT; IBM TDB	
33	5	@pd<20000330 and ((bill\$3 with statement)	USPAT;	2004/05/18 16:02
33		and (select with accounts) and password	US-PGPUB;	2001,00,10 10.02
	1	and (delet\$ or remov\$))	EPO; JPO;	
			DERWENT;	
			IBM_TDB USPAT;	2004/05/18 16:08
34	43	(prevent\$ with access) and (select\$ with accounts) and password and (control with	US-PGPUB;	2004/03/10 10:00
		cycle) and (batch with process\$4)	EPO; JPO;	
			DERWENT;	
		·	IBM_TDB	
35	3		USPAT;	2004/05/18 16:06
		and (select\$ with accounts) and password and (control with cycle) and (batch with	US-PGPUB; EPO; JPO;	
		process\$4))	DERWENT;	
			IBM_TDB	
36	55		USPAT;	2004/05/18 16:06
		accounts) and password and (month\$ and	US-PGPUB; EPO; JPO;	
		year\$ and week\$) and (batch with process\$4)	DERWENT;	
			IBM TDB	
37	4	<pre>@pd<20000330 and ((prevent\$ with access)</pre>	USPĀT;	2004/05/18 16:09
		and (select\$ with accounts) and password	US-PGPUB;	
		and (month\$ and year\$ and week\$) and	EPO; JPO; DERWENT;	
	1	(batch with process\$4))	IBM TDB	
38	61	(prevent\$ with access) and (accounts) and	USPAT;	2004/05/18 16:09
		password and (control with cycle) and	US-PGPUB;	
		(batch with process\$4)	EPO; JPO;	
			DERWENT; IBM TDB	
39	4	<pre>@pd<20000330 and ((prevent\$ with access)</pre>	USPAT;	2004/05/18 16:10
		and (accounts) and password and (control	US-PGPUB;	
		with cycle) and (batch with process\$4))	EPO; JPO;	
			DERWENT; IBM TDB	
40	67	(password\$ with access) and (accounts)	USPAT;	2004/05/18 16:09
1	"	and password and (control with cycle) and	US-PGPUB;	
		(batch with process\$4)	EPO; JPO;	
			DERWENT;	
41	48	(password\$ with access) and (select\$ with	IBM_TDB USPAT;	2004/05/18 16:09
••	"	accounts) and password and (control with	US-PGPUB;	=====================================
		cycle) and (batch with process\$4)	EPO; JPO;	
			DERWENT;	
42	7	<pre>@pd<20000330 and ((password\$ with access)</pre>	IBM_TDB USPAT;	2004/05/18 16:10
7.6	' '	and (select\$ with accounts) and password	US-PGPUB;	2004,00,10 10.10
		and (control with cycle) and (batch with	EPO; JPO;	
		process\$4))	DERWENT;	
42	,	E040013 mm	IBM_TDB	2004/05/10 16:00
43	2	5940813.pn.	USPAT; US-PGPUB;	2004/05/18 16:22
]		EPO; JPO;	
]		DERWENT;	
	1		IBM_TDB	

Search History 5/18/04 5:02:51 PM Page 3

44	2	6108641.pn.	USPAT;	2004/05/18 16:22
44		0100041.pn.	US-PGPUB;	2001, 00, 20 21122
			EPO; JPO;	
			DERWENT;	
			IBM TDB	
	546	(restrict\$ with access\$) and account\$ and	USPAT;	2004/05/17 14:32
-	546	(batch with process\$3)	US-PGPUB;	2004/03/1/ 11:32
		(batch with process;)	EPO; JPO;	
			DERWENT;	
			IBM TDB	
	006	//washuisha with second accounts and	USPAT;	2004/05/17 14:32
-	236		US-PGPUB;	2004/03/17 14.32
		(batch with process\$3)) and (record\$3 with		
		account\$)	EPO; JPO;	
			DERWENT;	
			IBM_TDB USPAT;	2004/05/17 14:33
-	122	(((restrict\$ with access\$) and account\$		2004/03/17 14:33
		and (batch with process\$3)) and (record\$3	US-PGPUB;	
		with account\$)) and (select\$ with	EPO; JPO;	
		account\$)	DERWENT;	
			IBM_TDB	2004/05/17 14:43
-	25	((((restrict\$ with access\$) and account\$	USPAT;	2004/05/1/ 14:43
		and (batch with process\$3)) and (record\$3	US-PGPUB;	
		with account\$)) and (select\$ with	EPO; JPO; DERWENT;	
	,	account\$)) and (remov\$ with account\$)	IBM TDB	
		0 1400000000 3 ////	USPAT;	2004/05/17 14:53
-	19.	<pre>@pd<20000330 and ((((restrict\$ with access\$) and account\$ and (batch with</pre>	US-PGPUB;	2004/03/17 14.33
		process\$3)) and (record\$3 with account\$))	EPO; JPO;	
		and (select\$ with account\$))	DERWENT;	
		and (select; with account;))	IBM TDB	
	18	<pre>@pd<20000330 and (((restrict\$ with</pre>	USPAT;	2004/05/18 11:41
-	10	access\$) and account\$ and (batch with	US-PGPUB;	2001,03,10 11.11
		process\$3)) and (record\$3 with account\$))	EPO; JPO;	
		and (month\$2 with account\$)	DERWENT;	•
		and implicitly when decoding,	IBM TDB	
_	2	6023705.pn.	USPAT;	2004/05/17 16:00
		0000 / 00 · p	US-PGPUB;	
		·	EPO; JPO;	
			DERWENT;	
			IBM TDB	
-	2	5956700.pn.	USPAT;	2004/05/17 16:00
	_		US-PGPUB;	
			EPO; JPO;	l
			DERWENT;	
			IBM_TDB	